NЛ		R				
	Division of Illinois Too	Works Inc.				
Purch	ase Order No:					
Subje	ect:		Туре:	_		
Batch	No					
			nufacture, the above material: tested for sulfur and halogens ac	cording to:		
	including B. ASME Boi Examinati C. ASME Boi Examinatic	2005, 2006 & 2008 A iler and Pressure Vess on, including 1999,200 iler and Pressure Vess	el Code, 2004 & 2007 Edition, S ddenda, Article 6 Paragraph T-6 el Code, 1995, 1998, & 2001 Edi 0,2002,& 2003 Addenda, Article ( el Code, 1986, 1989 and 1992 1992 Addenda,Paragraph T-625	40 and Article 24 as applicable. tion, Section V Nondestructive 6 Paragraph T-640 and Article 2 Edition, Section V, Nondestruct	24 as applicable. ive	
	D. ASTM E-1	65-92, ASTM E-165-9	4, ASTM E-165-95, and ASTM E	-165-02, Paragraph 7.1.		
	E. MIL-STD-271F(SH), 27 June 1986, Paragraphs 5.3 and 5.3.1., including Notice 1 Paragraph 5.6.1 (21, June 1993).					
	F. NAVSEA	Г9074-AS-GIB-010/27′	1, 30 April 1997, Paragraph 5.3.1	, including Notice 1.		
	G. MIL-STD-2	132D, 11 February 2003,	, Paragraph 7.1, 7.1.2., 7.1.3, Appen	dix C, Paragraph 40		
The fol	lowing test results we	ere obtained:				
	Sulfur:	wt, % of res	sidue. CL+F:	wt, % of residue		
	Cleaner residue (se	ee note 3)	g/100g	g/100ml		
2.	We further certify th	nat this material does r	not contain mercury as a basic el	ement and no mercury bearing	equip-	
	ment was used in it	ts manufacture.				
			MAGNAFLUX®			
			Mathew Plan	or the		
				Quality Assurance Mgr.		
			Lynda Ca Lynda Carle - Lab Te			
Notes:	<ol> <li>Most specifications ures to "parts per i</li> <li>The above certifications</li> </ol>	s require test results state million" move the decima	of all aerosol cans and on the label o ed in percent but some require parts I four places to the right. otained at the time of manufacture.	f all bulk containers. per million (ppm). To convert "perc	-	
				Form No. F-1568	, <b>K-4/09</b>	

3624 WEST LAKE AVENUE 🔳 GLENVIEW, ILLINOIS 60025 🔳 TEL (847) 657-5300 🔳 FAX (847) 657-5388



Date:					
Purchase Order No.					
We hereby certify that the, Batch No, supplied meets the requirements approved by the U.S. Air Force.	of AMS 2644E, and is				
When tested according to paragraph 4.3.2., Sampling Plan A, the followin	g results were obtained.				
4.2.2.1. Penetrant Tests: Flash Point (PMCC), 3.3.3 Viscosity, 3.3.4(cs. Nominal) Fluorescent Brightness, 3.3.8.3.2.(FP-4PE Standard) Water Tolerance (Method A only), 3.3.8.5 Removability, 3.3.8.6	°F cs@100°F  				
4.2.2.1 Emulsifier Tests:					
Flash Point (PMCC), 3.3.3 Viscosity, 3.3.4(cs. Nominal) Water Content (Method D only), 3.3.9.6	°F cs@100°F %				
4.2.2.3. Developer Tests:					
Developer Fluorescence, 3.3.10.2 Developer Removability, 3.3.10.4 Redispersibility, 3.3.10.5	 				
3.3.11.5 Remover Tests:					
Penetrant Removal, 4.4.11.3.2	<u>.</u>				

We further certify that this material meets the requirements of ASTM E 1417, Paragraph 5.1.

MAGNAFLUX®

Mathew Planooth

Mathew Plamoottil - Quality Assurance Mgr.

Lynda Carle Lynda Carle - Lab Technician.

Form No. F-1579E R-12/06

3624 WEST LAKE AVENUE 🔳 GLENVIEW, ILLINOIS 60025 🔳 TEL (847) 657-5300 🔳 FAX (847) 657-5388



Purchase Order:

## **VENDOR'S REPORT - TEST RESULTS**

## Please forward in duplicate to: REPORTS, MATERIALS CONTROL LABORATORY PRATT & WHITNEY AIRCRAFT (Plant to which material is shipped)

This is to certify that Paragraph Number(s)

apply to the shipment described below: (insert at least one of the first 4, plus 5 if applicable.)

- (Applicable to all raw material, to parts made from raw material furnished or purchased by vendor, or to assemblies of which some or all components are made from raw material furnished or purchased by vendor.) Material, parts, or components of assemblies have been inspected and accepted to the specifications involved, and results of tests required by Pratt & Whitney Aircraft are as shown herein.
- (Applicable to parts or assembly components made from raw material furnished by Pratt & Whitney Aircraft and not chemically or metallurgically treated by vendor so as to change surface or internal condition significantly.) Parts or assemblies have been machined or formed from material furnished by Pratt & Whitney Aircraft, to make these parts or components of assemblies.
- 3. (Applicable to parts or assembly components made from raw material furnished by Pratt & Whitney Aircraft and chemically or metallugically treated by vendor so as to change surface or internal condition signifcantly.) Parts of components of assemblies have been made from raw material furnished by Pratt & Whitney Aircraft to make these parts or components of assemblies. Parts, components of assemblies have been inspected and accepted to the specifications involved, and results of tests required by Pratt & Whitney Aircraft are as shown herein.
- 4. (Applicable to repaired or reworked raw material, parts or assemblies.) The raw material, parts or assemblies have been reworked or repaired in accordance with Pratt & Whitney Aircraft Instructions, and are the same material, parts or assemblies returned for such reworking or repair, except for replacement of assembly components, in which case paragraphs 1 and 5 are also applicable.
- 5. (Applicable to all assemblies, and to parts when specifically authorized by purchaser.) Results of all chemical and physical tests not shown below, as well as all other evidence which shows acceptability of raw materials and assembly components, are on file and available for inspection at any reasonable time.

PART OR ASS'Y NO. (	Size, if no Part No.)	CHG. LTR.	SUF. NO.	SPECIFICATIONS, AS ORDERED	)		
PMC				PWA 300			
QUANTITY	DATE SHIPPED		LOCATION O	F PWA PLANT SHIPPED TO	PACK	. SLIP NO.	P.O. NO.
HEAT, LOT, CODE OR BATCH NO. RAW MAT			AL VENDOR	TYPE-COMPOUND OR CAS	ΓING	PWA HEAT (	CODES (if required)
Batch No.							

If material, parts or assemblies do not entirely conform to specification requirements, the deviation, and authority for furnishing such material, are indicated below:

RESULTS OF TESTS (Use reverse side if necessary)

Sulfur Content	
Chloride Content	
Fluoride Content	
Sodium Content	
Fluorescent Brightness (100%±10%)	
Viscosity @ 100°F	
Flash Point (200F MIN)	
Water Content	
Clarity	
Appearance	
Specific Gravity	
AMS 2641	
Purity	

MAGNAFLUX certifies that \_\_\_\_\_\_ does NOT contain Polychlorinated Biphenyls (PCB's)

VENDOR NAME	MAGNAFLUX, 218 Industrial St.	BY (Authorized Agent)	2
VENDOR ADDRESS	Dewitt, IA 52742	Mathew Planerothy	Lynda Carle
PWA FORM 3297 RE	V 11-72	Mathew Plamoottil, Quality A Lynda Carle - Lab Technicia	
3624 WEST	lake avenue 🔳 Glenview, Illin	IOIS 60025 🔳 TEL (847) 65	57-5300 🔳 FAX (847) 657-5388
www.magnaflu	IX.com		