M		JAFLUX	®				
Ā	Division of	f Illinois Tool Works Inc.					
Date:							
Purch	ase Ord	er No:					
Subje	ct:		Туре:				
Batch	No						
			time of manufacture, the a d has been tested for sulfu		ccording to:		
	В. С.	including 2005 & 20 ASME Boiler and Pre Examination, includir ASME Boiler and Pre	essure Vessel Code, 1986 6 including 1992 Addenda	ragraph T-640 and 1998, & 2001 Ed Addenda, Article , 1989 and 1992	d Article 24 as a lition, Section V 6 Paragraph T-6 Edition, Sectior	pplicable. Nondestructive 640 and Article 24 as applica n V, Nondestructive	able.
	D.	ASTM E-165-92, AS	TM E-165-94, ASTM E-165	5-95, and ASTM E	-165-02, Paragi	raph 7.1.	
		MIL-STD-271F(SH), June 1993).	27 June 1986, Paragraphs	s 5.3 and 5.3.1., in	ncluding Notice	1 Paragraph 5.6.1 (21,	
	F.	NAVSEA T9074-AS-	GIB-010/271, 30 April 1997	7, Paragraph 5.3.1	I, including Notic	ce 1.	
	G.	MIL-STD-2132D, 11 Fe	bruary 2003, Paragraph 7.1,	7.1.2., 7.1.3, Apper	ndix C, Paragraph	40	
The foll	owing test	t results were obtaine	ed:				
	Sulfur:		wt, % of residue. CL+F:		wt, % of	f residue	
	Cleaner	residue (see note 3)		g/100g		_ g/100ml	
2.	We furth	er certify that this ma	terial does not contain mei	rcury as a basic el	lement and no n	nercury bearing equip-	
	ment wa	s used in its manufac	ture.				
			MAGN	NAFLUX®			
			M	athew Plan	wolk		
				w Plamoottil -	/	ance Mgr.	
				Pyrda Co Carle - Lab Te			
Notes:	<ol> <li>Most s ures to</li> <li>The ab</li> </ol>	pecifications require tes "parts per million" mov pove certification gives	the bottom of all aerosol can at results stated in percent but e the decimal four places to t he results obtained at the tim operties of any material	s and on the label o t some require parts he right.	of all bulk containe s per million (ppm)	). To convert "percent" fig-	
					F	Form No. F-1568 R-1/08	

3624 WEST LAKE AVENUE 🔳 GLENVIEW, ILLINOIS 60025 🔳 TEL (847) 657-5300 🔳 FAX (847) 657-5388



Date:	
Purchase Order No.	
We hereby certify that the, Batch No, supplied meets the requirements approved by the U.S. Air Force.	of AMS 2644E, and is
When tested according to paragraph 4.3.2., Sampling Plan A, the followin	g results were obtained.
4.2.2.1. Penetrant Tests: Flash Point (PMCC), 3.3.3 Viscosity, 3.3.4(cs. Nominal) Fluorescent Brightness, 3.3.8.3.2.(FP-4PE Standard) Water Tolerance (Method A only), 3.3.8.5 Removability, 3.3.8.6	°F cs@100°F  
4.2.2.1 Emulsifier Tests:	
Flash Point (PMCC), 3.3.3 Viscosity, 3.3.4(cs. Nominal) Water Content (Method D only), 3.3.9.6	<u> </u>
4.2.2.3. Developer Tests:	
Developer Fluorescence, 3.3.10.2 Developer Removability, 3.3.10.4 Redispersibility, 3.3.10.5	 
3.3.11.5 Remover Tests:	
Penetrant Removal, 4.4.11.3.2	<u>.</u>

We further certify that this material meets the requirements of ASTM E 1417, Paragraph 5.1.

MAGNAFLUX®

Mathew Planooth

Mathew Plamoottil - Quality Assurance Mgr.

Lynda Carle Lynda Carle - Lab Technician.

Form No. F-1579E R-12/06

3624 WEST LAKE AVENUE 🔳 GLENVIEW, ILLINOIS 60025 🔳 TEL (847) 657-5300 🔳 FAX (847) 657-5388



Purchase Order:

## **VENDOR'S REPORT - TEST RESULTS**

## Please forward in duplicate to: REPORTS, MATERIALS CONTROL LABORATORY PRATT & WHITNEY AIRCRAFT (Plant to which material is shipped)

This is to certify that Paragraph Number(s)

apply to the shipment described below: (insert at least one of the first 4, plus 5 if applicable.)

- (Applicable to all raw material, to parts made from raw material furnished or purchased by vendor, or to assemblies of which some or all components are made from raw material furnished or purchased by vendor.) Material, parts, or components of assemblies have been inspected and accepted to the specifications involved, and results of tests required by Pratt & Whitney Aircraft are as shown herein.
- (Applicable to parts or assembly components made from raw material furnished by Pratt & Whitney Aircraft and not chemically or metallurgically treated by vendor so as to change surface or internal condition significantly.) Parts or assemblies have been machined or formed from material furnished by Pratt & Whitney Aircraft, to make these parts or components of assemblies.
- 3. (Applicable to parts or assembly components made from raw material furnished by Pratt & Whitney Aircraft and chemically or metallugically treated by vendor so as to change surface or internal condition signifcantly.) Parts of components of assemblies have been made from raw material furnished by Pratt & Whitney Aircraft to make these parts or components of assemblies. Parts, components of assemblies have been inspected and accepted to the specifications involved, and results of tests required by Pratt & Whitney Aircraft are as shown herein.
- 4. (Applicable to repaired or reworked raw material, parts or assemblies.) The raw material, parts or assemblies have been reworked or repaired in accordance with Pratt & Whitney Aircraft Instructions, and are the same material, parts or assemblies returned for such reworking or repair, except for replacement of assembly components, in which case paragraphs 1 and 5 are also applicable.
- 5. (Applicable to all assemblies, and to parts when specifically authorized by purchaser.) Results of all chemical and physical tests not shown below, as well as all other evidence which shows acceptability of raw materials and assembly components, are on file and available for inspection at any reasonable time.

PART OR ASS'Y NO. (	Size, if no Part No.)	CHG. LTR.	SUF. NO.	SPECIFICATIONS, AS ORDERED	)		
PMC			PWA 300				
QUANTITY	DATE SHIPPED		LOCATION O	F PWA PLANT SHIPPED TO	PACK	. SLIP NO.	P.O. NO.
HEAT, LOT, CODE OR BATCH NO. RAW N			IAL VENDOR TYPE-COMPOUND OR CASTING			G PWA HEAT CODES (if required)	
Batch No.							

If material, parts or assemblies do not entirely conform to specification requirements, the deviation, and authority for furnishing such material, are indicated below:

RESULTS OF TESTS (Use reverse side if necessary)

Sulfur Content	
Chloride Content	
Fluoride Content	
Sodium Content	
Fluorescent Brightness (100%±10%)	
Viscosity @ 100°F	
Flash Point (200F MIN)	
Water Content	
Clarity	
Appearance	
Specific Gravity	
AMS 2641	
Purity	

MAGNAFLUX certifies that \_\_\_\_\_\_ does NOT contain Polychlorinated Biphenyls (PCB's)

VENDOR NAME	MAGNAFLUX, 218 Industrial St.	BY (Authorized Agent)	2
VENDOR ADDRESS	Dewitt, IA 52742	Mathew Planerothy	Lynda Carle
PWA FORM 3297 RE	V 11-72	Mathew Plamoottil, Quality A Lynda Carle - Lab Technicia	
3624 WEST	lake avenue 🔳 Glenview, Illin	IOIS 60025 🔳 TEL (847) 65	57-5300 🔳 FAX (847) 657-5388
www.magnaflu	IX.com		